



## NYSCHAP Cattle Welfare Certification Program



Kathy Finnerty, Program Manager  
NYS Cattle Health Assurance Program



## Why participate?

- ➡ #1 reason - reinforce or improve the level of care for animals
- ➡ Documentation of protocols for all personnel, new hires, temps, etc
- ➡ Validate for consumers the level of care on the dairy



## PAACO review pending....




- ➡ Professional Animal Auditors Certification Organization
  - American Assoc. of Avian Pathologists
  - American Assoc. of Bovine Practitioners
  - American Assoc. of Swine Veterinarians
  - American Registry of Professional Animal Scientists
  - Federation of Animal Science Societies
- ➡ National Dairy Animal Well-being Initiative
- ➡ Certification by 3 panel review team



## Welfare Certification: Requirements for producer

- ➡ Enrollment in NYSCHAP core module
- ➡ SOPs
- ➡ Training of employees
- ➡ Veterinary oversight



## NYSCHAP Requirements

- ➡ Unique, individual animal identification
- ➡ Treatment records
- ➡ VCPR








## Herd plan based on information collected and team discussion

- Goals
- ID
- Treatment records
- Incoming animals
- Milk production/quality
- Vaccination program
- Employee management

- Calving pen management
- Calf health
- Weaned heifer health
- Transition cows
- Repro
- Lameness
- culling
- Infectious disease
- Johne's disease



### NYSCHAP Herd Plan

Farm: \_\_\_\_\_ Date: 8/17/07

Intervention Tests	Person Responsible	Frequency, duration or completion goal	Quarterly assessment of progress (in lines & noted by reference)
<b>Maintain a keen awareness of biosecurity.</b> The herd & all employees are trained in biosecurity measures and understand the NYSCAP goals. Review plan with Dr. Kalkreuth at least once a year and make any necessary changes.		Ongoing	
<b>Address SCC issues as detected in key markets:</b> <ul style="list-style-type: none"> <li>• Evaluate and monitor weekly closely with Dr. Kalkreuth</li> <li>• Escalate and implement decisions with others. High SCC cases.</li> <li>• Treat treatment decisions based on culture results.</li> <li>• Monitor fresh cow health and consider using Ultramox.</li> <li>• Train staff to identify clinical mastitis signs.</li> <li>• Periodically invite Dr. Welcome to attend monthly meetings with Dr. Kalkreuth.</li> </ul>		Beginner and then monthly	
<b>Continue working closely with heifer raiser:</b> <ul style="list-style-type: none"> <li>• Work closely with nutritionist to offer a ration that meets the growth rates for reproduction but does not overly fatten heifers.</li> <li>• Work with Mosh on stall surface and bedding for the heifers to minimize hock problems when entering the milking herd.</li> <li>• Consider purchasing a penicillinizer for calf milk.</li> </ul>		Ongoing	
<b>Quarterly with Dr. Kalkreuth:</b> <ul style="list-style-type: none"> <li>• Review the NYSCAP herd plan</li> <li>• Run IgGs on a few calves to check the optometer.</li> </ul>		Quarterly	
Consider housing full calves and cull cows where the trucker does not have to enter the main barn. Realistically this may not happen until you have a different trucker. At that point, start with new biosecurity measures.		When realistic	



### NYSCHAP Annual Evaluation

Farmer Name: \_\_\_\_\_  
Group Name (if): \_\_\_\_\_  
Date: 8-20-07

Intervention Tests	Comments	Response
<b>Maintain a keen awareness of biosecurity.</b> Is the best of all regarding their operation. Review that all employees are trained in biosecurity measures and understand the NYSCAP goals. Review plan with Dr. Kalkreuth at least once a year and make any necessary changes.		Yes
<b>Address SCC issues as detected in key markets:</b> <ul style="list-style-type: none"> <li>• Evaluate and monitor weekly closely with Dr. Kalkreuth</li> <li>• Escalate and implement decisions with others. High SCC cases.</li> <li>• Treat treatment decisions based on culture results.</li> <li>• Monitor fresh cow health and consider using Ultramox.</li> <li>• Train staff to identify clinical mastitis signs.</li> <li>• Periodically invite Dr. Welcome to attend monthly meetings with Dr. Kalkreuth.</li> </ul>	Response is in use	Yes
<b>Continue working closely with heifer raiser:</b> <ul style="list-style-type: none"> <li>• Work closely with nutritionist to offer a ration that meets the growth rates for reproduction but does not overly fatten heifers.</li> <li>• Work with Mosh on stall surface and bedding for the heifers to minimize hock problems when entering the milking herd.</li> <li>• Consider purchasing a penicillinizer for calf milk.</li> </ul>	Lameness has not been a problem.	Yes
<b>Address hock challenges:</b> <ul style="list-style-type: none"> <li>• Work closely with nutritionist to offer a ration that meets the growth rates for reproduction but does not overly fatten heifers.</li> <li>• Work with Mosh on stall surface and bedding for the heifers to minimize hock problems when entering the milking herd.</li> <li>• Concrete were laid regarding respiratory problems with heifers. Work closely with Mosh to maintain appropriate ventilation in the heifer facility, particularly in the cold weather.</li> <li>• As outlined in the mastitis plan, focus on SCC and mastitis in first lactation heifers.</li> </ul>	Heifers are in good condition. Ventilation in heifer barn still an issue.	Yes
<b>Quarterly with Dr. Kalkreuth on a quarterly basis:</b> <ul style="list-style-type: none"> <li>• Review the NYSCAP herd plan</li> <li>• Run IgGs on a few calves to check the reflectometer</li> <li>• Review the vaccination program.</li> </ul>		Yes
Continue to keep monetary pack as close as possible, you should be able to load in the pack without getting wet or dirty. As the same facility covers into our over-scheduling in the maturity		Done



## NYSCHAP Cattle Welfare Certification Program



- Offered as of December 2006
- Based on objective measures
- 5 page reference list



## Unique to NYSCHAP

- One time pre-certification visit to determine any deficiencies
- GOAL – no one fails a certification visit
- Work through NYSCHAP to meet requirements






## Things not witnessed during a welfare audit

- ➡ Extremes in weather
- ➡ Seasonally slippery floors
- ➡ Seasonal hygiene issues
- ➡ Sporadic mistreatment/abuse
- ➡ Health crises – excessive culling/mortality
- ➡ Non-ambulatory cattle
- ➡ Routine elective procedures
- ➡ Treatment administration
- ➡ Other

SOP Development Worksheet	
SOP Name: Euthanasia Protocol with Gunshot	
SOP Number:	Date Written: 3/20/05
Written by:	Date Implemented:
Dr. Belinda Thompson	Date Last Revised:
<b>Task Description: Euthanize animal</b>	
Location work is done:	Number of people required: 2
At location of animal:	Skill level: 1 worker trained in euthanasia with gun 1 worker with animal restraint skills
<b>Equipment &amp; supplies required:</b>	
<ul style="list-style-type: none"> <li>o Appropriate caliber gun and bullet for size of animal (see euthanasia chart)</li> <li>o Restraint appropriate for size of animal</li> <li>o Key to gunlock – only available designated individuals</li> <li>o Sheathes, sharp knife in some circumstances</li> </ul>	
<b>Personal protective &amp; safety equipment required:</b>	
<ul style="list-style-type: none"> <li>o Safety glasses</li> <li>o Hearing protection</li> <li>o Gun trigger lock</li> </ul>	
<b>Objective, finished product or result expected:</b>	
Humanely destroyed animals	
<b>Scope of this SOP: euthanize any age animal</b>	
<b>Operations covered:</b>	<b>Workers covered:</b>
Restraint & euthanasia	Designated & trained workers: Names _____ Animal handlers for restraint only
<b>Locations covered:</b>	
All animals facilities on this farm	



## Creating an SOP

- ➡ Think of a recipe:
  - Needs to be precise
  - Depending on task include:
    - Equipment
    - Number of people
    - Contact information for certain individuals
  - Does not need to be longwinded! Bulleted works well
- ➡ Include personnel input
- ➡ Has to reflect how the 'task' must be performed



## Assistance with SOPs

- ➡ Veterinarian – most important is treatment protocols
- ➡ Use NYSCHAP specific SOP templates
- ➡ Pro-Dairy SOP blank template
- ➡ CCE educators
- ➡ Consultants
- ➡ Student/intern
- ➡ Borrow from other farms – edit to fit your farm

**SOP Development Worksheet**

SOP Name: \_\_\_\_\_

SOP Number: \_\_\_\_\_ Date Written: \_\_\_\_\_

Written by: \_\_\_\_\_ Date Implemented: \_\_\_\_\_

Dr. Belinda Thompson Date Last Revised: \_\_\_\_\_

**Task Description**

Location work is done: \_\_\_\_\_

Number of people required: \_\_\_\_\_

Skill level: \_\_\_\_\_

**Equipment & supplies required:**

o \_\_\_\_\_

**Personal protective & safety equipment required:**

o \_\_\_\_\_

**Objective, finished product or result expected:**

\_\_\_\_\_

**Scope of this SOP**

**Operations covered:**

Restraint & euthanasia

**Workers covered:**

Designated & trained workers:  
Names \_\_\_\_\_  
Animal handlers for restraint only

**Locations covered:**

All animals facilities on this farm

**Specific Skills, Training, Certifications, or Licenses Required:**

\_\_\_\_\_

**SOP Development Worksheet**

SOP Name: \_\_\_\_\_

SOP Number: \_\_\_\_\_ Date Written: \_\_\_\_\_

Written by: \_\_\_\_\_ Date Implemented: \_\_\_\_\_

Dr. Belinda Thompson Date Last Revised: \_\_\_\_\_

**Task Description**

Location work is done: \_\_\_\_\_

Number of people required: \_\_\_\_\_

Skill level: \_\_\_\_\_

**Equipment & supplies required:**

o \_\_\_\_\_

**Personal protective & safety equipment required:**

o \_\_\_\_\_

**Objective, finished product or result expected:**

\_\_\_\_\_

**Scope of this SOP**

**Operations covered:**

Restraint & euthanasia

**Workers covered:**

Designated & trained workers:  
Names \_\_\_\_\_  
Animal handlers for restraint only

**Locations covered:**

All animals facilities on this farm

**Specific Skills, Training, Certifications, or Licenses Required:**

\_\_\_\_\_



## SOP for Identification of Sick/Injured Cattle





## Cattle Handling and movement activities

- ➔ Consequences for acts of neglect, mistreatment or abuse
- ➔ Movement of cattle in calm, quiet manner
- ➔ Correct use of restraint equipment and crowd gates
- ➔ Prods – only to be used in extreme cases




## Non-ambulatory cattle

- ➔ Approved method of removal
  - Sled, sling, bucket
  - w/in 2 hours
  - Non-slip floor
  - Feed, water, protection injury & other cattle
  - Protection environmental conditions
- ➔ Specify timeframe for medical intervention



## Euthanasia

- ➔ Appropriate procedure for all age groups, per AABP
- ➔ Prompt decision making
- ➔ Identified employee and/or vet
- ➔ Done without moving if safe
- ➔ Do not delay for renderer
- ➔ Done prior to loading on rendering truck



## Hospital/Sick Cattle

- ➔ Assessment and monitoring
- ➔ Guidelines for veterinary involvement.
- ➔ Treatment protocols, such as mastitis, ketosis, lameness, calf scours, etc.



## Newborn Calves

- ➔ Must be fed colostrum w/in 6 hours – heifers and bulls
- ➔ Bulls calves must be cared for properly while on premises
- ➔ Transportation
  - Ensure calves are dry
  - walk and easily stand without assistance



## Lameness

- ➔ Management system for early detection and effective, prompt treatment
  - Assess facilities, nutrition and employee training
  - Implement management practices to minimize new occurrences



## Elective/Routine Surgical Procedures

- Castration, dehorning, teat removal, tail docking
- Performed only by appropriately trained personnel, under acceptably sanitary conditions, in consultation with veterinarian



## Emergency Management Plan

- Basically in NY:
  - Do you have a generator? And...
  - Do you know your generator works?
- Consideration for barn fire or flood
  - Human safety
  - Housing of cattle
- Provision for weather emergency
- Emergency contact list



NYSCHAP Cattle Welfare Certification Program  
Custom Visitor Status Contract

I verify that this custom visitor status facility meets the following requirements for the visitors outlined by:

- ✓ Valid vehicle as indicated outlined relationship with Dr. \_\_\_\_\_
- ✓ Visitors are transported in safe vehicles that protect from extreme weather conditions.
- ✓ All visitors have continual access to clean water and food.
- ✓ All visitors are assessed daily for stress and injury. Those deemed to need intervention are moved for treatment or humane treatment.
- ✓ Non-ambulatory calves are moved by appropriate handling devices. Only when necessary, calves are dropped into pens or into the device. Non-ambulatory calves are moved off concrete within ten hours and housed in an area where they can rest and recover, are protected from environmental elements and have free access to feed and water.
- ✓ Only trained personnel handle calves according to a written protocol.
- ✓ Water, feed, ventilation, shade, clean water and clean water systems meet the facility's needs for the welfare of the calves.
- ✓ Visitors are assessed to ensure safety. If visitors do not follow safety rules, they are removed from the facility. If visitors do not follow safety rules, they are removed from the facility.
- ✓ Routine and elective surgeries such as dehorning, tail removal and tail docking are performed by trained personnel under the guidance of a veterinarian.

Visitor Name: \_\_\_\_\_ Date: \_\_\_\_\_

Visitor Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Visitor Name: \_\_\_\_\_ Date: \_\_\_\_\_

Visitor Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Owner Name: \_\_\_\_\_ Date: \_\_\_\_\_

Owner Signature: \_\_\_\_\_ Date: \_\_\_\_\_



## Oversight by herd veterinarian



## Employee Training Prior to Certification Visit

12 Areas SOPs

Date	Employee Name	Job Description	SOPs Reviewed	Signature - Employee and Manager
3/17/08	Mike Hodge	Animal Manager / Equipment operator	Cattle handling / Non-ambulatory cattle	Mike Hodge
3/17/08	Shane Wilson	Feeder / Equipment Operator	Cattle handling / Non-ambulatory cattle	Shane Wilson
3/17/08	Gabriel Cortale	Post Anderson	Cattle handling / Non-ambulatory cattle	Gabriel Cortale
3/17/08	Theodore Cortale	Youngstock Manager	Cattle handling / Non-ambulatory cattle	Theodore Cortale
3/17/08	Amorah Cortale	Equipment Operator / Feeder	Cattle handling / Non-ambulatory cattle	Amorah Cortale
3/17/08	Samuel Mendez	Feeder / Equipment Operator	Cattle handling / Non-ambulatory cattle	Samuel Mendez
3/17/08	Marvin Halstead	Feeder / Equipment Operator	Cattle handling / Non-ambulatory cattle	Marvin Halstead



## Certification Visit

- Verify:
  - Herd Veterinarian – VCP, SOPs, culling & mortality record
  - Access to SOPs
- Training record
- Third party assessment of farm – state or university veterinarian







## Facilities & Environment Inspection

- ➔ Specific areas – hospital and non-amulatory area
- ➔ Maintain in good repair to avoid discomfort/distress/injury
- ➔ Protection from elements
- ➔ Appropriate handling/restraint facilities



## Assessment

- ➔ Evidence of mistreatment or abuse?
  - Broken tails
  - Unexplained wounds
- ➔ Calves
  - Newborns – warm place to dry in winter
  - Housing – can they lie down and turn around?
- ➔ Restraint facilities
- ➔ Transport loading area




## Does housing meet the needs of cattle?

- ➔ Housing circumstances that affect cattle will be captured by BCS, hygiene scores and locomotion scores




## Locomotion Scoring

- ➔ No more than 15% >2 in lactating and dry cow groups
- ➔ No more than 5% >2 in heifer group
- ➔ Less than 2% of score 5 in any group



## Other assessments



- ➔ Measures will not be used to pass or fail
  - Slips and falls
  - Hock scores
- ➔ Address in herd plan




## Hygiene Scores - Cows

	Legs	Flank	Udder
Tie stall	75% <3	80% <3	70% <3
Loose Housing	40% <3	80% <3	80% <3

- ➔ For herds with a yearly average SCC <250,000 lower legs will not be scored






## Hygiene Scores - Heifers


- Flanks are scored as cows
- Ventral abdomen is scored to reflect manure on flooring and in stalls

	Flank	Belly
Tie stall	80% <3	95% <4
Loose Housing	80% <3	95% <4




Ventral abdomen Area in front of udder

Reneau, JAVMA, vol. 227, # 8



## BCS

- Upon certification – 90% of herd  $\geq 2$
- Yearlings and older






## Re-certification


- Within 10-14 months of enrollment
- Same process at certification
  - SOPs
  - Training records
  - Assess all animals





## Cattle Care Protocol Module

- Any farm in NYS
  - Non-NYSCHAP
    - Must work with NYS Department of Agriculture and Markets (NYSDAM) field veterinarians
  - NYSCHAP farms – can work with state NYSCHAP vet or private NYSCHAP certified vet



## Eligibility

- Proper and judicious use of animal health products:
  - Valid veterinarian-client-patient relationship (VCPR) must be in place and is defined as:
    - The licensed veterinarian has assumed clinical responsibility for the animals and the owner of the animals has agreed to follow the veterinarian's instructions
    - The veterinarian has sufficient direct knowledge of the animals condition and their care
    - The veterinarian is available for follow-up evaluation
  - Animal health products are used in compliance with the PMO and AMDUCA.
- Unique individual identification is used for all animals
- Treatments are recorded for any product with a withdrawal
- Treatment records are maintained for 2 years



## Process

- Written standard operating procedures
  - Reviewed by herd veterinarian
  - Reviewed by state field vet and/or NYSCHAP vet
- Personnel training
  - Language appropriate
  - Documentation
- Herd veterinarian
  - Valid VCPR
  - Review of culling and mortality records



## Certificate of Participation

- ➔ Upon completion from NYS Dept. Agriculture Markets, includes validation period
- ➔ Review within 10-14 months
  - Update any SOPs as needed, review by herd vet
  - Herd vet reviews culling and mortality records
  - Documentation of training
    - ⇒ All personnel
    - ⇒ Those hired in between reviews, documentation of training upon hire



## Google NYSCHAP



got questions?





## **NYSCHAP Cattle Welfare Certification Module Outline:**

**Participation – Farms enrolled in the core module of NYSCHAP will be able to participate in the Cattle Welfare Certification Module when they meet the standards for the issues addressed below.**

**Enrollment** – Farms must meet all standards for the issues addressed for enrollment into the cattle welfare module. Prior to the certification visit producers may request one pre-certification visit to determine areas of deficiencies.

Prior to a certification or re-certification visit all SOPs will be reviewed and edited by the certifying veterinarian. A clear plan should be created prior to a visit with farm personnel that will allow assessors to adequately move and evaluate all animals for body condition, hygiene and locomotion. Routine farm tasks, such as milking, footbaths, sorting and cleaning, that require moving animals should be considered. It is not acceptable for assessors to score animals for locomotion in lockups, tie-ups or by walking through crowded pens. On the day of the visit the herd veterinarian will need to be in attendance to discuss the SOPs and culling and mortality records, which must be examined for the 12 months prior to the visit.

Location of SOPs will be inspected to insure that all employees have access to them. Copies of employee training of SOPs will be collected at any certification or re-certification visit.

**Annual Recertification** – Upon recertification farms must meet all standards for the issues addressed in the cattle welfare module. Recertification must occur within 10-14 months of enrollment anniversary date to remain active. For farms that can not meet standards upon annual recertification due to extenuating circumstances the recertification period can be extended up to 60 days; a second 60 day extension can be granted if initial problem has been addressed and improvement is in progress. Any extension for recertification must be documented and submitted to the NYSCHAP coordinator.

**Standard Operating Procedures (SOPs)** – Farm specific SOPs that are reviewed by the herd veterinarian will be in place for specified cattle welfare contingencies (see categories to follow). These SOPs will be posted or filed where they will be accessible to employees. Employees will review SOPs at least once per year. Generalized SOPs for many of the issue areas are available in MS Word format on the NYSCHAP website at <http://www.nyschap.vet.cornell.edu/module/welfare/welfare.asp>. These may be edited to meet operation specifics. Contact Kathy Finnerty for a CD of the SOPs (607-253-3910).

Farms participating in the welfare module will have a clear understanding of basic cattle husbandry and care outlined in their NYSCHAP herd plan. The veterinarian-client-patient-relationship (VCPR) is established to allow certain decisions to be made under veterinary guidance and supervision; other decisions should be made only by the veterinarian. It is recommended that written SOPs (e.g. fresh cow monitoring, mastitis treatment flow-chart, disaster preparedness, proper disposal of dead animals) be established for employee training and implementation of standard practices. Adherence to these protocols should help to promote animal health and avoid many potential breaches in cattle welfare. The herd veterinarian and SOPs must be available during the certification visit.

SOPs are required for identification of sick/injured cattle; care of non-ambulatory cattle; AABP Practical Euthanasia (provided by NYSCHAP certifier); euthanasia action plan for all ages of cattle; hospital animals; newborn calves; lameness; routine/elective surgical procedures; and emergency management. Any farm using a heifer raiser must have a Heifer Raiser Contract signed and available at the certification visit.

**Employee Training** – Employees involved in cattle care and handling will be trained in SOPs specific to their job duties at the time of employment. New employees must be evaluated at least twice during the first year of employment (Garry, 2004). Training records must be available at the certification visit.

**Identification of Sick or Injured Cattle** – Designated employees are trained in the assessment of cattle for identification of sick and/or injured animals. Cattle are assessed on a daily basis and sick or injured cattle are separated/segregated to an appropriate area for effective, prompt treatment or euthanasia decision. SOPs for assessment should include but not be limited to change in behavior, change in activity, change in appetite, change in appearance (eg body fill, udder fill, droopy ears, hair coat, breathing rate or effort), change in attitude (eg lethargy), presence of abnormal discharge, change in manure consistency, change in gait, and other monitoring efforts such as change in production, body temperature, ketosis strip, and change in milk consistency.

**Non-ambulatory cattle** – The SOP must include provision for prompt removal, no longer than 2 hours after discovery, from concrete to a safe, well-bedded area that provides adequate footing, provision of feed and water without competition from other cattle; protection from self injury and injury from other cattle; and protection from environmental elements. (Cox, McGrath, Jorgensen, Am J Vet Res, Vol 43, 1982; Garry, 2004; Smith 2002)

A timeframe must be specified in the SOP for providing medical intervention, veterinary consultation when necessary, and timely euthanasia decisions.

Transporting or moving cattle that are non-ambulatory:

1. For distances over 10 feet – cattle are moved by use of appropriate sledding device, sling or bucket. Cattle are moved onto these devices with as little discomfort as possible. If necessary, cattle should be humanely euthanized before transport.
2. Dragging is acceptable ONLY when unavoidable and for distances less than 10 feet. Plenty of bedding must be used.

Culling:

A culling plan will decrease the occurrence of non-ambulatory cattle. The culling plan will have a drug residue avoidance plan to include assessment of realistic likelihood of recovery prior to administering drugs with withdrawal times.

### **Euthanasia**

1. Decision making to be based upon:
  - a. Pain and distress of the cattle
  - b. Likelihood of recovery
  - c. Ability to get to feed and water
  - d. Medications used on the cattle
  - e. Drug withdrawal time
  - f. Diagnostic information
  - g. Condemnation potential
  - h. Economics
2. Approved methods and protocols should be adhered to as outlined in 'Practical Euthanasia of Cattle' produced by AABP (American Association of Bovine Practitioners), [www.aabp.org](http://www.aabp.org).

### **Hospital Cattle – to include all production groups**

1. Treatment or euthanasia decisions should be based on monitoring for:
  - a. Recovery potential

- b. Deterioration
  - c. Uncontrollable pain
  - d. Locomotion
  - e. BCS
2. Written protocols should be developed for assessment and routine treatments under supervision and training of a veterinarian. The protocol should include guidelines for when a veterinarian should be called for individual cow care and criteria for culling vs. euthanasia.
  3. Access to feed and water without competition from healthy cows must be provided.
  4. Criteria are in place for supportive care for cull cattle when shipment is necessarily delayed.
  5. It is recommended that hospital cattle be segregated from healthy cattle, including maternity cattle.

### **Care of Newborn Calves** (Garry 2004; Grandin, 2002)

1. Neglect of market calves is unacceptable
2. Heifer and bull calves must be fed appropriate colostrum within 6 hours of birth
3. Provide all calves a clean and dry environment.
4. Provide shelter that is appropriate to environmental conditions (moisture, temperature, wind and sun).
5. Meet the following conditions when transporting calves:
  - a. Ensure that calves are dry.
  - b. Calves will not be transported until they are able to walk and easily stand without assistance, except when transporting to on-site calf housing facilities.
  - c. Protect from extreme temperatures; use a clean and disinfected vehicle in good repair; handle calves gently when loading and unloading; drive to avoid cattle injury
  - d. Ensure that market calves are fed at least every 12 hours prior to transport.

**Lameness** - A management system for early detection and effective, prompt treatment of lameness should be developed. (Berry, Zinpro, 2001)

1. Assess potential problems including employee training, facilities, nutrition, and infectious disease.
2. Implement management practices to minimize new occurrences (nutrition, trimming, hoof care, environment, etc).
3. No more than 15% of each animal management group has a locomotion score of 3, 4 or 5.

### **Hygiene**

1. Cattle should be maintained in facilities which contribute to clean and dry hair coats and udders.
2. Hygiene scoring can be used to evaluate facility design, stocking rate and maintenance (Cook, 2002, Reneau, 2005).
3. Goal is to minimize the occurrence of hygiene scores greater than 3. Lower leg hygiene scores will be more variable in loose housing depending upon the type of bedding and the means of cleaning the pens.

Cows must meet the following standards:

Score all cows in each cow management group.			
Tie stall:		Loose housing:	
○ Lower leg	75% <3	○ Lower leg	40% <3
○ Udder	80% <3	○ Udder	80% <3
○ Flank & upper leg	70% <3	○ Flank & upper leg	80% <3

Cows in loose housing that have less than 40% lower leg scores of 1 and 2 must have an average SCC of 250,000 for the previous 12 months to be certified

Heifers must meet the following requirements;

Score all heifers in each heifer management group.			
Tie stall:		Loose housing:	
○ Flank & upper leg	70% <3	○ Flank & upper leg	80% <3
○ Ventral abdomen	95% <4	○ Ventral abdomen	95% <4

Hygiene scoring heifers for abdomen and flank scores will reflect stocking rates, amount of manure splash occurring during heifer movement through the facility and cleanliness of the stalls. Although there are no published percentages for ventral abdomen scoring, a paper published by Reneau (2005) reported 9 dairy herds with average abdomen scoring below 3. Until published percentages for scoring abdomen over 3 the 5% mark will be used to reflect those heifers that may choose to lie in the alley even though stalls might be available.

**Body Condition Score**-(Braun, et. al, The Bovine Proceedings, April 1987; Robert Patton, Topics in Veterinary Medicine, Autumn 1991; Temple Grandin – [www.grandin.com](http://www.grandin.com)

1. All cattle must receive a wholesome daily diet which is nutritionally adequate
2. All cattle must have continual access to adequate supply of clean water
3. Upon certification each animal management group of animals over 12 months of age must have 90% of the group with body condition scores >1.

#### Facilities and Environment

1. Maintain all facilities in good repair to avoid discomfort, distress and injury
2. Housing circumstances, including overcrowding, that affects cattle welfare will be captured by/increased lameness scores, poor hygiene scores, and wide ranges of BCS due to inadequate access to feed and water.
3. Provide shelter from elements appropriate to weather conditions.
4. Provide and maintain non-slip flooring in cow traffic areas that prevent cows from falling.
5. Use handling and restraint facilities appropriate for management procedures.

#### Cattle Movement and Handling

1. Management will not tolerate any acts of abuse or mistreatment. Consequences for such action are clearly described to all farm personnel. Written documentation of consequences is recommended.
2. SOPs are recommended for farms that have employees routinely trained in cattle movement and handling.
3. Employees should have training regarding cattle behavior, flight zones and proper use of all cattle handling equipment (Grandin, 2002). Employees should be regularly evaluated when moving cattle.
4. Cattle should be moved in a calm, quiet and careful manner.
5. Facilities should be appropriate for handling. Lighting, shadows, non-slip floors, gates and corrals can affect movement of cattle. Evaluate facilities for objects that can create hazards to cattle moving throughout the farm.
6. Prods, canes and other extreme methods are rarely necessary for routine movement. These devices should be used only when the situation is critical to the cattle's health and well-being and/or human safety.
7. When present, crowd gates should be designed and used to allow for normal cow response and movement. Employees should be trained to properly use crowd gates.

***Routine/Elective Surgical Procedures – including dehorning, castration, teat removal and tail docking***

1. Elective surgical procedures should only be performed by appropriately trained personnel, under acceptable sanitary conditions, in consultation with a veterinarian. Procedures should be done with appropriate use of anesthetic and/or analgesic.
2. In all cases, these procedures should be performed on appropriately aged cattle:
  - a. Castration
    - i. Closed castration of bull calves should be performed before two months of age
    - ii. Older bulls or open castration procedures should be performed with the use of anesthetic/analgesic in consultation with a veterinarian.
  - b. Dehorning
    - i. Procedure for dairy calves should be performed before two months of age.
    - ii. Beef calves should be dehorned at the earliest time of detection, no later than weaning.
    - iii. The use of anesthesia/sedation/analgesia is recommended for all ages.
  - c. Teat Removal – perform removal at youngest age that supernumerary teats can be identified
  - d. Tail docking may be a routine management decision and must be appropriately done in consultation with a veterinarian.

***Emergency Management Plan***

1. Emergency phone contact list – farm must post by each phone at the facility, or program into cell phones used by farm workers, an emergency phone contact list including phone numbers for the herd veterinarian, renderer, cattle hauler, fire department, police, and ambulance.
2. Farm emergency phone contact list must be posted or programmed with the emergency phone contact list and must include the phone numbers for farm owners, managers, etc. to be contacted in an emergency
3. SOP – must include provisions for providing basic needs for animals including, water, feed, manure removal, bedding, ventilation and milking in case of power outage. The SOP should include a schedule for maintaining and testing alternate power source. SOPs should include provisions for dealing with fires, human medical emergencies and emergencies due to severe weather conditions. In preparation for emergency situations which may threaten human health or safety, such as mandatory evacuations due to severe weather or environmental hazards, it may be necessary to provide access to extra feed, water, or pasture and then evacuate animal care personnel. In such cases, the emergency plan should include how workers will communicate to determine safe return to the facility to care for animal needs.

***Heifer Raiser Contract*** – if a farm uses an off-site heifer raiser a contract must be in signed and available at the certification visit.





## **NYSCHAP Cattle Care Protocol Module:**

Eligible farms:

1. Any farm in NYS can participate in the module. If the farm is not enrolled in NYSCHAP, the farm must work with the NYS Department of Agriculture and Markets field veterinarian.
2. If the farm is already enrolled in NYSCHAP, the farm may enroll in the program with the assistance of the NYSCHAP veterinarian (NYSDAM field veterinarian or NYSCHAP certified veterinarian).
3. A certificate of participation will be issued by the NYSDAM Division of Animal Industry after the signed enrollment form and training documentation is submitted to the NYSCHAP program manager.
4. Annual review within 10-14 months is necessary and will include review and update of protocols and personnel training.

The following requirements must be met:

1. Proper and judicious use of animal health products
  - a. Valid veterinarian-client-patient relationship (VCPR) must be in place and is defined as:
    - i. The licensed veterinarian has assumed clinical responsibility for the animals and the owner of the animals has agreed to follow the veterinarian's instructions
    - ii. The veterinarian has sufficient direct knowledge of the animals condition and their care
    - iii. The veterinarian is available for follow-up evaluation
  - b. Animal health products are used in compliance with the PMO and AMDUCA.
2. Unique individual identification is used for all animals; administration of all animal health products having a withdrawal are documented; and treatment records are retained for a minimum of two years.
3. Creation of written standard operating procedures (SOPs). All SOPs must be reviewed by the herd veterinarian. SOPs must be located in an area where all personnel have access.
4. Training of all personnel that work within the cattle care protocols. Personnel must be trained through written or oral means in a language they understand. Documentation of training is required.
5. Herd veterinarian will review culling and mortality records for the year prior to enrollment or annual review to determine any welfare issues.
6. All new employees hired between annual reviews must be trained within the protocols pertinent to their job duties.

### **SOPs required:**

#### **Proper movement and handling of cattle**

1. Management will not tolerate any acts of abuse or mistreatment defined as 'tortures or cruelly beats or unjustifiably injures, maims, mutilates or kills any animal' (NYSDAM Law Article 26). Consequences for such action are clearly described to all farm personnel. Written documentation of consequences is required.
2. Cattle should be moved in a calm, quiet and careful manner.
3. Prods, canes and other extreme methods are rarely necessary for routine movement. These devices should be used only when the situation is critical to the cattle's health and well-being and/or human safety.

4. When present, crowd gates should be designed and used to allow for normal cow response and movement. Employees should be trained to properly use crowd gates.

#### Identification of Sick or Injured Cattle

Designated employees are trained in the assessment of cattle for identification of sick and/or injured animals. Cattle are assessed on a daily basis and sick or injured cattle are separated/segregated to an appropriate area for effective, prompt treatment or euthanasia decision. SOPs for assessment should include but not be limited to change in behavior, change in activity, change in appetite, change in appearance (eg body fill, udder fill, droopy ears, hair coat, breathing rate or effort), change in attitude (eg lethargy), presence of abnormal discharge, change in manure consistency, change in gait, and other monitoring efforts such as change in production, body temperature, ketosis strip, and change in milk consistency. Specific identification for lame cattle must be outlined in the SOP.

#### Care and transport of non-ambulatory

The SOP must include provision for prompt removal, no longer than 2 hours after discovery, from concrete to a safe, well-bedded area that provides adequate footing, provision of feed and water without competition from other cattle; protection from self injury and injury from other cattle; and protection from environmental elements. (Cox, McGrath, Jorgensen, Am J Vet Res, Vol 43, 1982; Garry, 2004; Smith 2002)

A timeframe must be specified in the SOP for providing medical intervention, veterinary consultation when necessary, and timely euthanasia decisions.

Transporting or moving cattle that are non-ambulatory:

1. For distances over 10 feet – cattle are moved by use of appropriate sledding device, sling or bucket. Cattle are moved onto these devices with as little discomfort as possible. If necessary, cattle should be humanely euthanized before transport.
2. Dragging is acceptable ONLY when unavoidable and for distances less than 10 feet. Limbs must be padded and plenty of bedding must be used to prevent further injury.

#### Treatment, Culling and euthanasia decisions:

These decisions may be covered in SOPs for hospital/sick cattle and euthanasia. A culling plan will decrease the occurrence of non-ambulatory cattle. The culling plan will have a drug residue avoidance plan to include assessment of realistic likelihood of recovery prior to administering drugs with withdrawal times.

1. Treatment, culling or euthanasia decisions should be based on monitoring for:
  - a. Recovery potential
  - b. Deterioration
  - c. Uncontrollable pain
  - d. Locomotion
  - e. BCS

#### Euthanasia

If farm management, staff, or the herd veterinarian determines that an animal should be euthanized, euthanasia should be immediate and take place without moving the animal, unless the safety of farm workers or other animals is threatened. Euthanasia should not be delayed to wait for a renderer to arrive at the farm. A plan must be in place to euthanize the animal as soon as possible to alleviate suffering. Cattle must be euthanized prior to being loaded on a rendering truck.

Last update: 08/2010

1. Decision making to be based upon:
  - a. Pain and distress of the cattle
  - b. Likelihood of recovery
  - c. Ability to get to feed and water
  - d. Medications used on the cattle
  - e. Drug withdrawal time
  - f. Diagnostic information
  - g. Condemnation potential
  - h. Economics
2. Approved methods and protocols must be adhered to as outlined in 'Practical Euthanasia of Cattle' produced by AABP (American Association of Bovine Practitioners), [www.aabp.org](http://www.aabp.org). Approved methods include gunshot, captive bolt or administration of barbiturates by a veterinarian.

#### Hospital/sick cattle

1. Treatment or euthanasia decisions should be based on monitoring for:
  - a. Recovery potential
  - b. Deterioration
  - c. Uncontrollable pain
  - d. Locomotion
  - e. BCS
2. Written protocols should be developed for assessment and routine treatments under supervision and training of a veterinarian. The protocol should include guidelines for when a veterinarian should be called for individual cow care and criteria for culling vs. euthanasia.
3. Access to feed and water without competition from healthy cows must be provided.
4. Criteria are in place for supportive care for cull cattle when shipment is necessarily delayed.
5. It is recommended that hospital cattle be segregated from healthy cattle, including maternity cattle.

#### Routine/elective surgical procedures: (written SOP and documentation of veterinary personnel training required)

1. Elective surgical procedures should only be performed by appropriately trained personnel, under acceptable sanitary conditions, in consultation with a veterinarian.
2. In all cases, these procedures should be performed on appropriately aged cattle:
  - a. Castration - Closed castration of bull calves should be performed before two months of age. Older bulls or open castration procedures should be performed with the use of anesthetic/analgesic in consultation with a veterinarian.
  - b. Dehorn before eight weeks of age using dehorning paste, thermal cautery, or by gouging technique. Dehorning paste or thermal cautery are the preferred methods to reduce risk of spreading diseases such as Bovine leukosis virus or bovine viral diarrhea. Preferred age for dehorning is two to four weeks and must be performed before eight weeks of age. Caustic pastes should not be used after two months of age. Cornual nerve block with lidocaine should be used with all dehorning procedures. When performing dehorning, use a restraint method that decreases the animal's mobility to prevent injuries to animals and farm personnel.
  - c. Tail docking may be a routine management decision and must be appropriately done in consultation with a veterinarian. Use of elastrator band or cautery tail docker is recommended to remove tails in calves less than 30 days. Use of an epidural is not recommended in calves less than 30 days old. Tail length should extend a hand's width

below the vulva. Some farmers may choose to dock tails at an older age because of management systems such as pasturing. Tail docking of animals older than one month by cutting requires use of anesthesia with lidocaine. Tail banding is an approved method of docking at any age without an epidural. When performing tail docking, use a restraint method that decreases the animal's mobility to prevent injuries to the animal and workers.

- d. Teat Removal – perform removal at youngest age that supernumerary teats can be identified.

#### Care of newborn calves

1. Neglect of market calves is unacceptable
2. Heifer and bull calves must be fed appropriate colostrum within 6 hours of birth
3. Provide all calves a clean and dry environment.
4. Provide shelter that is appropriate to environmental conditions (moisture, temperature, wind and sun).
5. Meet the following conditions when transporting calves:
  - a. Ensure that market calves are fed at least every 12 hours prior to transport.
  - b. Ensure that calves are dry prior to transport
  - c. Calves will not be transported until they are able to walk and easily stand without assistance, except when transporting to on-site calf housing facilities.
  - d. Protect from extreme temperatures; use a clean and disinfected vehicle in good repair; handle calves gently when loading and unloading; drive to avoid cattle injury

#### Emergency Management Plan

1. Emergency phone contact list – farm must post by each phone at the facility, or program into cell phones used by farm workers, an emergency phone contact list including phone numbers for the herd veterinarian, renderer, cattle hauler, fire department, police, and ambulance.
2. Farm emergency phone contact list must be posted or programmed with the emergency phone contact list and must include the phone numbers for farm owners, managers, etc. to be contacted in an emergency
3. SOP – must include provisions for providing basic needs for animals including, water, feed, manure removal, bedding, ventilation and milking in case of power outage. The SOP should include a schedule for maintaining and testing alternate power source. SOPs should include provisions for dealing with fires, human medical emergencies and emergencies due to severe weather conditions. In preparation for emergency situations which may threaten human health or safety, such as mandatory evacuations due to severe weather or environmental hazards, it may be necessary to provide access to extra feed, water, or pasture and then evacuate animal care personnel. In such cases, the emergency plan should include how workers will communicate to determine safe return to the facility to care for animal needs.